

論文 / 著書情報
Article / Book Information

題目(和文)	
Title(English)	Evaluation of physical and chemical structures required for anti-biofouling self-assembled monolayers and polymer brush films
著者(和文)	Palai Debabrata
Author(English)	Debabrata Palai
出典(和文)	学位:博士(理学), 学位授与機関:東京工業大学, 報告番号:甲第12174号, 授与年月日:2022年9月22日, 学位の種別:課程博士, 審査員:林 智広,八木 透,柘植 丈治,森 俊明,石田 忠
Citation(English)	Degree:Doctor (Science), Conferring organization: Tokyo Institute of Technology, Report number:甲第12174号, Conferred date:2022/9/22, Degree Type:Course doctor, Examiner:,,,,
学位種別(和文)	博士論文
Category(English)	Doctoral Thesis
種別(和文)	論文要旨
Type(English)	Summary

(博士課程)
Doctoral Program

論文要旨

THESIS SUMMARY

系・コース：

Department of, Graduate major in

材料系
ライフエンジニアリング

系
コース

申請学位 (専攻分野)： 博士

Academic Degree Requested Doctor of (Science)

学生氏名：

Student's Name

Debabrata Palai

指導教員 (主)：

Academic Supervisor(main)

林 智広

指導教員 (副)：

Academic Supervisor(sub)

要旨 (和文 2000 字程度)

Thesis Summary (approx.2000 Japanese Characters)

Understanding the impact of the material's physicochemical properties on protein and cell adhesion is important in developing new anti-biofouling materials. The adsorption of serum proteins onto the material surface is the initiating event for most physiological responses. The adsorbed serum proteins provide a scaffold layer that contains specific cell receptor-ligand binding sites where cells adhere. Therefore, surface-mediated protein adsorption and protein-cell interaction studies clarify the required structures for designing the anti-biofouling surface.

For over a decade, self-assembled monolayers (SAMs) have been used to investigate the influence of physicochemical properties on the fundamental biomolecular interaction due to their well-defined structure and easily customizable terminal groups. It is clarified that the interactions between water molecules and the monolayer surfaces play a crucial role in the anti-biofouling mechanism of SAMs. Compared to SAMs, thin polymer films have a better anti-biofouling property due to steric or volume exclusion effect and chemical stability.

Previously, most studies primarily focused on investigating material's chemical and physical structures using single proteins or mixtures of a few proteins to develop anti-biofouling materials for in vivo applications. However, actual biological environments, such as blood serum and body fluids, are complex mixtures of various biomolecules, rendering evaluation strategies interestingly complicated.

This thesis systematically investigates the protein and cell adhesion by dividing the overall complex process using SAMs and polymer brush films. Specifically, It investigated (1) the effect of physical and chemical properties of biomaterial surface on serum protein adsorption, denaturation, and cellular response on simple monolayer organic surfaces and (2) the serum adsorption onto complex polymer brush films and quantitatively evaluated the physicochemical properties required for anti-biofouling application using informatics.

The first part of this work is focused on determining the mechanism behind the changes in protein conformation upon adsorption, the composition of ECM proteins, and the subsequent cell behavior on SAMs with different surface functionalities. Using Pearson correlation analysis, this thesis study clarified that the adhered cell area and density positively depend on the amount of ECM proteins and the conformation of adsorbed proteins on different SAMs. It was found that the serum protein changed its conformation upon adsorption onto hydrophobic methyl-terminated SAM. Furthermore, a higher composition of the ECM proteins (fibronectin and vitronectin) was found and shown to promote subsequent human umbilical vein endothelial cell (HUVEC) adhesion and cell spreading. In contrast, the zwitterionic sulfobetaine SAM and the charged hydrophilic oligoether (EG3OMe) SAM were protein- and cell-resistant. In the case of the oligoether SAM, the protein adsorption gets suppressed by the range of 2-3 nm thick structured water layer, which was previously reported by Hayashi et al. As for the neutral hydrophilic oligo ethylene glycol (OEG) SAMs, a trend in protein and cell resistance has been observed with changing the number of ethylene glycol units. This trend could result from increasing numbers of polar groups which tightly bound water molecules in the interface found in past research. So far, we clarified that the amount of scaffold protein adsorption and the conformational changes are the key parameter to control cell adhesion on SAMs. However, the complete understanding of the effect of chain thickness on protein adsorption using SAMs is not possible as these are dense monolayer films.

Therefore, the second part of this thesis focused on predicting the amount of adsorbed protein on different polymer brush films (hydrophilic, charged hydrophilic and zwitterionic) using a machine learning approach. Specifically, a quantitative evaluation of the polymer's chain thickness and density impact on serum protein adsorption was undertaken. It was found that the film thickness and density are two crucial physical factors that decide protein adsorption on polymer brush films. Using Pearson

correlation analysis, it was further evaluated that thicker hydrophilic and zwitterionic polymer films are necessary for anti-biofouling applications, while charged hydrophilic polymer films must be thinner.

Overall, this study reported the influence of the surface's physicochemical property on protein unfolding, the composition of ECM protein, and HUVEC cell adhesion in a complex serum environment. This study also reports on appropriate machine learning algorithm to evaluate complex serum protein adsorption on polymer brush films. Both studies in this thesis found that the charge neutrality of zwitterionic and neutral hydrophilic end groups and the thickness of polymers are essential for the design of anti-biofouling surfaces, which agrees with our general understanding and perception.

Several implications have already been deduced on serum adsorption, scaffold layer formation, and cell adhesion based on the influence of the physicochemical properties and known anti-fouling mechanisms (steric repulsion and hydrodynamic interactions). However, further experiments must be performed to provide clear evidence on the protein unfolding and its effect on cell adhesion. Also, the influence of thickness on the anti-biofouling mechanism for polymer films needs to be established more clearly by using a broader range of thicknesses and collecting more data on different polymers. Finally, it is expected that this study's measurement techniques, machine learning approach, and the findings obtained using SAMs and polymer brush films, could be applied to develop anti-biofouling surfaces operating under biological environments. Our overall approach unveils the physicochemical structures required to design an anti-biofouling surface by addressing various surface-mediated biomolecular adhesion.

備考：論文要旨は、和文 2000 字と英文 300 語を 1 部ずつ提出するか、もしくは英文 800 語を 1 部提出してください。

Note : Thesis Summary should be submitted in either a copy of 2000 Japanese Characters and 300 Words (English) or 1 copy of 800 Words (English).

注意：論文要旨は、東工大リサーチリポジトリ(T2R2)にてインターネット公表されますので、公表可能な範囲の内容で作成してください。

Attention: Thesis Summary will be published on Tokyo Tech Research Repository Website (T2R2).