

論文 / 著書情報
Article / Book Information

題目(和文)	
Title(English)	Performance-degradation prediction of nonlinear viscous dampers installed in high-rise buildings under long-period ground motions
著者(和文)	劉錫媛
Author(English)	LIU Xiyuan
出典(和文)	学位:博士(学術), 学位授与機関:東京科学大学, 報告番号:甲第398号, 授与年月日:2025年3月26日, 学位の種別:課程博士, 審査員:佐藤 大樹,石原 直,西村 康志郎,吉敷 祥一,山崎 義弘
Citation(English)	Degree:Doctor (Academic), Conferring organization: Institute of Science Tokyo, Report number:甲第398号, Conferred date:2025/3/26, Degree Type:Course doctor, Examiner:,,,,
学位種別(和文)	博士論文
Category(English)	Doctoral Thesis
種別(和文)	要約
Type(English)	Outline

Performance-degradation prediction of nonlinear viscous dampers
installed in high-rise buildings under long-period ground motions

by

LIU Xiyuan

CHAPTER 1 Introduction.....	7
1.1 Background	7
1.1.1 Long period ground motion	7
1.1.2 Passive control devices	8
1.2 Characteristic of viscoelastic damper and viscous damper under long period ground motion.....	9
1.3 Evaluation of performance change of nonlinear viscous dampers	10
1.4 Research objective and methodology.....	11
1.5 Dissertation structure.....	13
References.....	14
 CHAPTER 2 Simple method for evaluating the temperature change of a full- scale viscous damper under long-period ground motions	 16
2.1 Introduction	16
2.2 Experiment investigation	19
2.2.1 Experimental Setup	19
2.2.2 Setup Pictures	20
2.2.3 Instrumentation plan	21
2.2.3 System of the measurement	24
2.2.4 Photos of the Measurement.....	26
2.3 Experiment of Long-period ground motions	30
2.3.1 Input excitation.....	30
2.3.2 Loading conditions of long-period seismic wave	31
2.4 Experimental results of long-period seismic wave loading	32
2.4.1 Energy dissipation.....	32

2.4.2 Temperature rise	33
2.5 Simple evaluation by using Equivalent sinusoidal-wave method.....	35
2.5.1 Outline of equivalent sinusoidal-wave method.....	35
2.5.2 Calculation of ϵt_0	36
2.5.3 Loading conditions of equivalent sinusoidal wave loadings	38
2.5.4 Energy dissipation.....	39
2.6 Simple evaluation of temperature change by equivalent sinusoidal wave method	41
2.7 Conclusions.....	43
Appendix 2.A Target Building Analysis Outline	44
Appendix 2.B Verification of the input excitation by PSD.....	47
Appendix 2.C Evaluation of the validity of the data	49
Appendix 2.D Temperature change of viscous damper subjected to 3R-CH.....	52
Appendix 2.E Evaluation of the equivalent sine wave loading with small amplitude..	53
References.....	54
 CHAPTER 3 Characteristic of viscous dampers considering the damper- ambience temperature difference	 56
3.1 Introduction	56
3.2 Long duration test	57
3.2.1 Viscous dampers	57
3.2.2 Long period test	58
3.3 Characteristic of the viscous dampers	58
3.3.1 Damper force	58
3.3.2 Calculation method	60
3.3.3 Energy dissipation of viscous dampers.....	60
3.3.4 Performance degradation of viscous dampers	60
3.4 Analysis model considering performance degradation of viscous damper	62
3.4.1 Accuracy of analysis model per quadrant and per cycle of V11	63
3.4.2 Influence of temperature on the accuracy of analysis model.....	64
3.5 Conclusion	66
Appendix 3.A Comparison of energy dissipation between analysis model and experiment result of V11	 67

Appendix 3.B Comparison of analysis model and experiment result for the Radom wave loading and Sine wave loading in Chapter 2	68
References.....	69

CHAPTER 4 The seismic response considering performance degradation of viscous damper 70

4.1 Introduction	70
4.2 Summary of buildings and dampers.....	72
4.2.1 Buildings	72
4.2.2 Earthquakes	74
4.2.3 Viscous dampers.....	75
4.2.4 Analysis Model Considering Performance Decrement of Viscous Dampers.....	76
4.2.5 Distribution of Viscous Dampers.....	77
4.3 Time history response analysis considering performance degradation.....	79
4.3.1 Influence of the target story drift angle on the seismic response.....	80
4.3.2 Influence of the damper size on the seismic response	82
4.3.3 Influence of the building height on the seismic response	84
4.3.4 Influence of elasto-plastic on the seismic response	86
4.4 Conclusions.....	88
References.....	89

CHAPTER 5 Performance-degradation prediction of nonlinear viscous damper subjected to long-period ground motion..... 90

5.1 Introduction	90
5.2 Analysis condition	92
5.2.1 Structure.....	92
5.2.2 Earthquake	92
5.2.3 Viscous damper.....	93
5.3 Linear prediction method	96
5.3.1 Formulation for linear prediction method.....	96
5.3.2 Verification	97
5.4 Nonlinear prediction method.....	98
5.4.1 Formulation for nonlinear prediction method.....	98
5.4.2 Verification	99

5.5 Prediction of performance degradation of viscous damper.....	101
5.5.1 Ground motion.....	101
5.5.2 3D building model and distribution of viscous dampers	102
5.5.3 Verification of prediction methods	105
5.6 Conclusions.....	107
Appendix 5.A Derivation of linear prediction formula	108
Appendix 5.B Derivation of Nonlinear prediction formula	110
Appendix 5.C Effect of α on the nonlinear prediction formula.....	113
Appendix 5.D Seismic response of high-rise buildings using modal analysis	115
Appendix 5.E Investigation of the ratio for the maximum displacements of dashpots	118
Appendix 5.F. Prediction of energy dissipation ratio of linear viscous damper	121
Appendix 5.G Equivalent linearized energy dissipation ratio of nonlinear viscous damper	124
References	126
CHAPTER 6 Conclusions.....	127
6.1 Conclusions.....	127
6.2 Future work.....	129
Acknowledgement	130