

論文 / 著書情報
Article / Book Information

題目(和文)	
Title(English)	STUDY ON ARC-FREE COMMUTATION WITH VARIABLE RESISTANCE CONTACTS IN HYBRID DC SWITCH
著者(和文)	OuChomrong
Author(English)	Chomrong Ou
出典(和文)	学位:博士(工学), 学位授与機関:東京工業大学, 報告番号:甲第11597号, 授与年月日:2020年9月25日, 学位の種別:課程博士, 審査員:安岡 康一,千葉 明,藤田 英明,萩原 誠,竹内 希,澤 孝一郎
Citation(English)	Degree:Doctor (Engineering), Conferring organization: Tokyo Institute of Technology, Report number:甲第11597号, Conferred date:2020/9/25, Degree Type:Course doctor, Examiner:,,,,,
学位種別(和文)	博士論文
Category(English)	Doctoral Thesis
種別(和文)	要約
Type(English)	Outline

Thesis Outline

Title: Study on Arc-free Commutation with Variable Resistance Contacts in Hybrid DC Switch

Abstract

Chapter 1 Introduction

1.1 Background

1.2 Current Interruption

1.3 Arc-ignition

1.3.1 Procedure of arc ignition

1.3.2 Breaking arc

1.3.3 Making arc

1.4 Hybrid DC switch

1.5 Research purposes

1.6 Organization of the thesis

Chapter 2 DC-Breaker Topologies

2.1 Category of circuit breakers

2.2 Mechanical circuit breaker

2.2.1 Mechanical switch with ultra-fast disconnecter

2.2.2 Mechanical switch with external transverse magnetic

2.2.3 Resonant Circuit Breaker (RCB)

2.2.4 Mechanical switch with saturated iron core (MS-SIC)

2.3 Solid-state switch

2.3.1 Semiconductor-based switch (SBS)

2.3.2 Z-source Circuit breaker

2.4 Hybrid Switch

2.4.1 Background of hybrid DC switch

2.4.2 Current interrupting circuit breaker

2.4.3 Hybrid circuit breaker with thermistor

- 2.4.4 Hybrid circuit breaker with capacitor and inductor
- 2.4.5 Hybrid high-speed circuit breaker
- 2.4.6 Ultra-fast mechatronic circuit-breaker
- 2.4.7 Hybrid HVDC breaker
- 2.4.8 Hybrid Circuit breaker with low loss
- 2.4.9 Hybrid circuit breaker with transient commutation current injection
- 2.4.10 Factor Influence on current commutation

Chapter 3 Experimental Setup and Procedure

- 3.1 Experimental circuit diagram
 - 3.1.1 DC power supply
 - 3.1.2 Semiconductor device
 - 3.1.3 Electric contact
 - 3.1.4 Actuator and stepper motor
- 3.2 Experimental procedure
 - 3.2.1 Experiment of dielectric strength
 - 3.2.2 Experiment of threshold current of arc-free commutation

Chapter 4 Dielectric Strength after Current Commutation

- 4.1 Contact resistance
- 4.2 Current and voltage waveform in commutation phase
- 4.3 Insulation strength
- 4.4 Conclusion

Chapter 5 Threshold Current of Arc-free Commutation of Copper-carbon Contact

- 5.1 Contact resistance
- 5.2 Threshold current for arc-free commutation
- 5.3 Current interruption
- 5.4 Closing contact
- 5.5 Conclusion

Chapter 6 Simulation of Copper-carbon Contact

6.1 Introduction

6.2 Geometrical model of electrical contacts

6.3 Multiphysics coupling

6.4 Results and discussion

6.4.1 Movement of contact

6.4.2. Contact temperature and current streamlines

6.4.3 Contact current and voltage

6.5 Conclusion

Chapter 7 Conclusion and Future Plan

7.1 Conclusion

7.2 Future Plan

Appendix

A1 Background

A2 Geometrical model of electrical contacts

A3 Results

A3.1 Stationary phase

A3.2 Constriction phase

A3.3 Molten bridge phase

A4 Conclusion