

論文 / 著書情報
Article / Book Information

題目(和文)	
Title(English)	Thin Film Synthesis of Coordination-Compounds by Dry Process
著者(和文)	CHONSeoungmin
Author(English)	Seoungmin Chon
出典(和文)	学位:博士(工学), 学位授与機関:東京工業大学, 報告番号:甲第12553号, 授与年月日:2023年9月22日, 学位の種別:課程博士, 審査員:一杉 太郎,岡本 敏宏,谷口 耕治,高尾 俊郎,庄子 良晃,片瀬 貴義, 清水 亮太
Citation(English)	Degree:Doctor (Engineering), Conferring organization: Tokyo Institute of Technology, Report number:甲第12553号, Conferred date:2023/9/22, Degree Type:Course doctor, Examiner:,,,,,,
学位種別(和文)	博士論文
Category(English)	Doctoral Thesis
種別(和文)	審査の要旨
Type(English)	Exam Summary

(博士課程)

論文審査の要旨及び審査員

報告番号	甲第	号	学位申請者氏名		Seoungmin CHON	
		氏名	職名		氏名	職名
論文審査 審査員	主査	一杉 太郎	特任教授	審査員	庄子 良晃	准教授
	審査員	岡本 敏宏	教授		片瀬 貴義	准教授
		谷口 耕治	教授		清水 亮太	特定准教授
		高尾 俊郎	准教授			

論文審査の要旨 (2000 字程度)

This doctoral thesis entitled "Thin Film Synthesis of Coordination-Compounds by Dry Process" comprises five chapters. This work reports on a novel route to fabricate coordination compound thin film by dry process.

In Chapter 1, the author reviews the coordination compounds focusing on the metal complex hydrides and metal-organic frameworks (MOFs). For thin film growth of the coordination compounds, the author explains the problem in conventional thermal evaporation for the materials with low decomposition temperature and claims the necessity of a new dry process. In this study, the author demonstrates the thin film synthesis of a calcium imide, CaNH using reactive magnetron sputtering, and MOF, $\text{Cu}_3(\text{HHTP})_2$ (HHTP = 2,3,6,7,10,11-hexahydroxytriphenylene) using multilayer deposition followed by vapor-assisted annealing.

In Chapter 2, the author describes the experimental procedures employed in fabricating and characterizing thin films of CaNH and $\text{Cu}_3(\text{HHTP})_2$. The details of each method, including the operating principles and measurement techniques, are thoroughly described.

In Chapter 3, the author fabricates epitaxial thin films of CaNH using reactive magnetron sputtering. Two phases in Ca-N-H system, namely Ca_2NH (ionic crystal) and CaNH (metal complex hydride), are selectively grown by controlling H_2 partial pressure (P_{H_2}): CaNH at $P_{\text{H}_2} > 0.04$ Pa and Ca_2NH at $P_{\text{H}_2} < 0.04$ Pa. *In-situ* plasma emission spectroscopy suggests that the modification of Ca-metal target surface to CaH_x under high P_{H_2} leads to the formation of CaNH phase. Notably, this study is the first report on the metal complex imide thin film, providing a novel strategy to form complex imide thin films.

In Chapter 4, the author demonstrates the fabrication of (001)-oriented $\text{Cu}_3(\text{HHTP})_2$ thin films. The developed process is comprised of two steps: 1) multilayer deposition of $\text{Cu}(\text{OAc})_2$ and HHTP precursors on Al_2O_3 (0001) by infrared pulsed laser deposition and 2) subsequent post-deposition annealing under pyridine and H_2O vapor in the air. The author finds the multilayer precursor film is successfully crystallized and (001)-oriented after the post-deposition annealing. In addition, the conductivity of the (001)-oriented thin film is 0.5 S cm^{-1} , comparable to the film reported by the wet process. This is the first report on fabricating $\text{Cu}_3(\text{HHTP})_2$ thin films using the dry process.

In Chapter 5, the author summarizes and concludes this work and describes the guidelines for future research on thin films of coordination compounds based on the developed dry processes.

To sum up, this thesis demonstrates the fabrication of coordination-compounds thin films which have not been achieved by conventional dry processes based on thermal evaporation. The author deserves a Doctor of Engineering from the Tokyo Institute of Technology.

注意: 「論文審査の要旨及び審査員」は、東工大リサーチポジトリ(T2R2)にてインターネット公表されますので、公表可能な範囲の内容で作成してください。