

論文 / 著書情報
Article / Book Information

題目(和文)	ギャップ導波路と垂直並列給電平行平板を用いたスロットアレーアンテナの研究
Title(English)	Study of Slot Array Antennas using Gap Waveguides and Perpendicular Corporate-Feed Parallel Plates
著者(和文)	YaxiangWU
Author(English)	Yaxiang Wu
出典(和文)	学位:博士(工学), 学位授与機関:東京工業大学, 報告番号:甲第12856号, 授与年月日:2024年9月20日, 学位の種別:課程博士, 審査員:廣川 二郎,阪口 啓,西方 敦博,青柳 貴洋,TRAN GIA KHANH,高橋 徹
Citation(English)	Degree:Doctor (Engineering), Conferring organization: Tokyo Institute of Technology, Report number:甲第12856号, Conferred date:2024/9/20, Degree Type:Course doctor, Examiner:,,,,,
学位種別(和文)	博士論文
Category(English)	Doctoral Thesis
種別(和文)	要約
Type(English)	Outline

Contents

1 Introduction

1.1 Development of Planar Full Metal Hollow Waveguide Slot Array Antennas	2
1.2 Gap Waveguide Technology	6
1.3 Perpendicular Corporate-Feed Parallel-Plate Slot Arrays	11
1.4 Objectives and Outlines of the Thesis	12

2 Wideband Corporate-Feed Sidewall-loaded Magnetolectric Dipole Array Antenna by Combined Ridge and E-Plane Groove Gap Waveguides

2.1 Introductory Remarks	20
2.2 Antenna Configuration	22
2.3 Full-Metal Sidewall-Loaded 2×2 -Element ME-Dipole Subarray	23
2.3.1 Geometry of the Proposed ME-Dipole Subarray	23
2.3.2 Operating Principle	25
2.3.3 Design Progress of the ME-Dipole Subarray	26
2.3.4 Interpretation of the Wideband Design by Eigenmode Analysis	30
2.4 Corporate-Feed Network Based on Combined RGW and GGW	33
2.5 Experiment Verification	38
2.5.1 Fabrication	38
2.5.2 Reflection	39
2.5.3 Directivity, Realized Gain and Efficiency	40
2.5.4 Radiation Patterns	42
2.6 Comparison of Related Works	42
2.7 Conclusion Remarks	42

3 Perpendicular Corporate-Feed Parallel-Plate Slot Array Antenna by H-Plane Groove Gap Waveguides with Interlaced Triangular Pins for High-Frequency Fabrication

3.1 Introductory Remarks	47
3.2 H-Plane Groove Gap Waveguide with 2×2 -Interlaced Triangular Pins	49
3.2.1 Dispersion diagram of the proposed unit cell and unit waveguide	49
3.2.2 Evaluation of H-Plane Groove Gap Waveguide with Triangular Pins	55
3.3 Antenna Configuration	56
3.4 Antenna Design	57
3.4.1 Corporate-Feed Circuit by Interlaced Triangular and 45° Rotated Square Pins ..	57

3.4.2 2×2 -Parallel-Plate Slot Subarray.....	62
3.5 Experimental Verification.....	63
3.5.1 Fabrication	63
3.5.2 Reflection.....	65
3.5.3 Directivity, Realized Gain and Efficiency	66
3.5.4 Radiation Patterns	66
3.6 Comparison of Related Works.....	66
3.7 Conclusion Remarks	69
4 Low-Profile Wideband Perpendicular Corporate-Feed Parallel-Plate Slot Array Antenna with Long Gratings	
4.1 Introductory Remarks	73
4.2 Antenna Configuration.....	74
4.3 2×2 -Parallel-Plate Slot Subarray with Long Gratings	75
4.3.1 Geometry of the Proposed Subarray	75
4.3.2 Operating Principle	77
4.3.3 Wideband Design of the 2×2 -Parallel-Plate Slot Subarray.....	77
4.4 Corporate-Feed Network	85
4.5 Experimental Verification.....	87
4.5.1 Fabrication	87
4.5.2 Reflection.....	87
4.5.3 Directivity, Realized Gain and Efficiency	88
4.5.4 Radiation Patterns	88
4.6 Comparison of Related Works.....	88
4.7 Conclusion Remarks	91
5 Dual-Polarized Perpendicular Corporate-Feed Parallel-Plate Waveguide Slot Array Antenna	
5.1 Introductory Remarks	93
5.2 Configuration of Antenna Array and Subarray.....	95
5.3 Antenna Design.....	97
5.3.1 Eigenmode Analysis of 1×1 -Slot Unit.....	97
5.3.2 Potential Dual-Polarized 2×2 -Slot Subarrays.....	99
5.3.3 Corporate-Feed Network.....	106
5.4 Experimental Verification.....	108
5.4.1 Fabrication	109
5.4.2 Reflection.....	109
5.4.3 Directivity, Realized Gain and Efficiency	109

5.4.4 Misalignment and bucking effect study	112
5.4.5 Radiation Patterns	115
5.5 Comparison of Related Works	116
5.6 Conclusion Remarks	116
6 Conclusion	
6.1 Summary of Preceding Chapters.....	121
6.2 Remarks for Future Studies.....	123
Acknowledgments	128
List of Publications	129