

論文 / 著書情報
Article / Book Information

題目(和文)	
Title(English)	Estimation of Wind Force Time-history on a Nonlinear Seismic Isolated Tall Building using Wind-Induced Responses
著者(和文)	SORIANO RAZELLE DENNISE AGOBA
Author(English)	Razelle Dennise Agoba Soriano
出典(和文)	学位:博士(学術), 学位授与機関:東京科学大学, 報告番号:甲第401号, 授与年月日:2025年3月26日, 学位の種別:課程博士, 審査員:佐藤 大樹,盛川 仁,石原 直,大風 翼,山崎 義弘
Citation(English)	Degree:Doctor (Academic), Conferring organization: Institute of Science Tokyo, Report number:甲第401号, Conferred date:2025/3/26, Degree Type:Course doctor, Examiner:,,,,
学位種別(和文)	博士論文
Category(English)	Doctoral Thesis
種別(和文)	要約
Type(English)	Outline

Estimation of Wind Force Time-history on a Nonlinear Seismic Isolated Tall Building using Wind-Induced Responses

by

Razelle Dennise Agoba Soriano

1. Introduction

1.1. Research Background.....	1-3
1.2. Research Objective.....	1-4
1.3. Chapter Structure.....	1-5
References.....	1-7

2. Wind Force Estimation on a Linear Model by Modal Analysis with Applied Fluctuating Wind Forces

2.1. Introduction.....	2-3
2.2. Wind Force Estimation by Modal Analysis	
2.2.1. Multi-degree of freedom (MDOF) system.....	2-6
2.2.2. Calculation of wind forces by modal analysis.....	2-7
2.2.3. Model properties.....	2-9
2.2.4. Wind force properties.....	2-10
2.3. CASE A: Complete Responses and Structural Parameters	
2.3.1. Wind force estimation – CASE A.....	2-14
2.4. CASE B: Incomplete Acceleration Responses	
2.4.1. Identification of unknown acceleration by cubic spline interpolation.....	2-19
2.4.2. Identification of velocity and displacement by frequency domain integration.....	2-22
2.4.3. Wind force estimation – CASE B.....	2-24
2.5. CASE C: Incomplete Structural Parameters	
2.5.1. System Identification by FDD method	
2.5.1.1. Theoretical background of the FDD method.....	2-27
2.5.1.2. Calculation of structural parameters using FDD results.....	2-29
2.5.1.3. Modal parameter identification using complete acceleration Responses.....	2-31
2.5.2. Wind force estimation – CASE C.....	2-35
2.6. CASE D: Incomplete Responses and Structural Parameters	
2.6.1. Identified Responses.....	2-40

2.6.2. Modal parameter identification using incomplete acceleration responses...	2-40
2.6.3. Wind force estimation – CASE D.....	2-42
2.7. Conclusions.....	2-48
References.....	2-50
Appendix 2-1 Cubic Spline and Linear Interpolation Methods.....	2-53
Appendix 2-2 Effect of Different Locations of Intermediate Sensor.....	2-57
Appendix 2-3 Detailed Derivation of the FDD algorithm	
2-3A. Input and Output (IO) Relationship.....	2-60
2-3B. Transfer Function Derivation.....	2-60
2-3C. Derivation of PSD function G_{yy} of FDD Method.....	2-65
Appendix 2-4 Ensemble-averaging of Singular Values.....	2-71
Appendix 2-5 Different Band-pass Filter Width	2-72
Appendix 2-6 Least Squares Method vs. Peak-Picking Procedure	
2-6A. Least Squares Method (LSM)	2-73
2-6B. Peak-picking (PP) Method.....	2-73
2-6C. LSM vs PP.....	2-75
Appendix 2-7 Determination of Cut-off frequencies from the Estimated Wind Forces.....	2-77
Appendix 2-8 Estimation of Unknown Acceleration by Frequency Domain Integration (FDI).....	2-82

3. Wind Force Estimation on a Linear Model by Equivalent-Input-Disturbance (EID) Method

3.1. Introduction.....	3-3
3.2. Wind Force Estimation by EID Method.....	3-5
3.3. Design of Observer Gain.....	3-8
3.4. Model Overview and Wind Forces	
3.4.1. Fixed-base building.....	3-10
3.4.2. Base-isolated building.....	3-11
3.4.3. Wind force properties.....	3-14
3.5. Analysis Results	
3.4.1. Fixed-base building.....	3-17
3.4.2. Base-isolated building.....	3-20
3.5. Conclusions.....	3-23
References.....	3-24

4. Wind Force Estimation on a Nonlinear Model by Equivalent-Input-Disturbance for Nonlinear Systems (EID-NS) Method

4.1. Introduction.....	4-3
4.2. Nonlinear Characteristics of Isolated Systems.....	4-5
4.3. Wind Force Estimation considering Nonlinear Characteristics by	

EID-NS Method.....	4-8
4.4. Model overview	
4.4.1. Base-isolated building.....	4-12
4.4.2. Middle-isolated building.....	4-14
4.4.3. Wind force properties.....	4-18
4.4.4. Design of estimation system.....	4-20
4.5. Analysis Results	
4.5.1. Base-isolated building	
4.5.1.1. Nonlinear behavior of isolation layer.....	4-22
4.5.1.2. Estimated velocity responses.....	4-23
4.5.1.3. Estimated wind forces.....	4-26
4.5.2. Middle-isolated building	
4.5.2.1. Nonlinear behavior of isolation layer.....	4-29
4.5.2.2. Estimated velocity responses.....	4-30
4.5.2.3. Estimated wind forces.....	4-32
4.6. Conclusions.....	4-36
References.....	4-37
Appendix 4-1 Comparison of Linear and Nonlinear Responses.....	4-38
Appendix 4-2 Effect of Nonlinearity on the Wind Force Estimation.....	4-42
4-2A. Base-isolated building (BIB).....	4-42
4-2B. Middle-isolated building (MIB).....	4-44

5. Wind Force Estimation on a Nonlinear Model with Incomplete Responses and Structural Parameters by Equivalent-Input-Disturbance for Nonlinear Systems (EID-NS) Method

5.1. Introduction.....	5-3
5.2. CASE A: Incomplete Acceleration Response	
5.2.1. Model overview.....	5-5
5.2.2. Response estimation.....	5-7
5.2.3. Wind force estimation – Case A.....	5-13
5.4. CASE B: Incomplete Structural Parameters	
5.4.1. Model overview.....	5-25
5.4.2. System identification by FDD method.....	5-27
5.4.3. Wind force estimation – Case B.....	5-29
5.5. CASE C: Incomplete Responses and Structural Parameters	
5.5.1. Model overview.....	5-32
5.5.2. Response estimation.....	5-32
5.5.3. System identification by FDD method using estimated acceleration responses.....	5-32
5.5.4. Wind force estimation – Case C.....	5-34
5.6. Conclusions.....	5-39
References.....	5-40

Appendix 5-1. Calculation of mode shapes from equivalent stiffness.....5-41
Appendix 5-2. Effect of building height to wind force estimation by EID-NS.....5-44
Appendix 5-3. Effect of the number of accelerometers to wind estimation by
EID-NS.....5-49

6. Conclusions

6.1. Research Conclusions.....6-3
6.2. Future Research.....6-6

List of Published Papers